ELSEVIER

Meat Science 65 (2003) III–XVII

MEAT SCIENCE

www.elsevier.com/locate/meatsci

Contents of Volume 63

Number 1

1 Use of antioxidants to reduce lipid oxidation and off-odor volatiles of irradiated pork homogenates and patties
K.C. NAM, D.U. AHN (USA)

9 Physical and sensory properties of low-salt phosphate-free frankfurters composed with various ingredients
M. RUUSUNEN, J. VAINIONPÄÄ, E. PUOLANNE, M. LYLY, L. LÄHTEENMÄKI, M. NIEMISTÖ, R. AHVENAINEN (Finland)

17 Pork quality variation is not explained by glycolytic enzyme capacity
C.P. ALLISON, R.O. BATES, A.M. BOOREN, R.C. JOHNSON, M.E. DOUMIT (USA)

23 Antioxidant and antimicrobial effects of four garlic-derived organosulfur compounds in ground beef
M. YIN, W. CHENG (Taiwan, ROC)

29 NaCl content and temperature effects on moisture diffusivity in the *Gluteus medius* muscle of pork ham
P. GOU, J. COMAPOSADA, J. ARNAU (Spain)

35 Effect of electrical stunning on meat and carcass quality in lambs
A. VELARDE, M. GISPERT, A. DIESTRE, X. MANTECA (Spain)

39 Effect of dietary β-carotene supplementation on beef color stability during display of two muscles from Japanese Black steers
T. MURAMOTO, N. NAKANISHI, M. SHIBATA, K. AIKAWA (Japan)

43 Oxidative stability of fermented goat meat sausage with different levels of natural antioxidant
R.T. NASSU, L.A.G. GONÇALVES, M.A.A. PEREIRA DA SILVA, F.J. BESERRA (Brazil)

51 Effects of vitamin E supplementation on performance and meat quality traits of Morkaraman male lambs
M. MACIT, V. AKSAKAL, E. EMSEN, M.I. AKSU, M. KARAOGLU, N. ESENBUGA (Turkey)

57 Identification and significance of the N-terminal part of swine pyruvate kinase in aged Parma hams
S. SFORZA, M. BONI, R. RUOZI, R. VIRGILI, R. MARCHELLI (Italy)

63 Mobility of solutes in frozen pork studied by electron spin resonance spectroscopy: evidence for two phase transition temperatures
E. HANSEN, M.L. ANDERSEN, L.H. SKIBSTED (Denmark)

69 Early postmortem electrical stimulation simulates PSE pork development
J.E. HAMMELMAN, B.C. BOWKER, A.L. GRANT, J.C. FORREST, A.P. SCHINCKEL, D.E. GERRARD (USA)

79 The potential impact of current animal research on the meat industry and consumer attitudes towards meat
J.-P. GARNIER (UK), R. KLONT (USA), G. PLASTOW (UK)

89 Chemical composition of pig meat from the genetic type 'Casertana' and its crossbreeds
A. ZULLO, C.M.A. BARONE, P. COLATRUGLIO, A. GIROLAMI, D. MATASSINO (Italy)

101 Effect of dietary vitamin E supplementation on the shelf life of cured pork sausage
C. HARMS, H. FUHRMANN, B. NOWAK, S. WENZEL, H.-P. SALLMANN (Germany)

107 Carcass classification in suckling lambs. Discrimination ability of the European Union scale
E. MIGUEL, E. ONEGA, V. CAÑEQUE, S. VELASCO, M.T. DIAZ, S. LAUZURICA, C. PÉREZ, B. BLÁZQUEZ, F. RUIZ DE HUIDOBRO (Spain)

119 Evaluation of pork coloursensory colour assessment using trained and untrained sensory panellists
M.G. O'SULLIVAN, D.V. BYRNE, M. MARTENS (Denmark)

131 Phenotypic variations of muscle fibre and intramuscular fat traits in *Longissimus* muscle of F_2 population Duroc×Berlin Miniature Pig and relationships to meat quality
I. FIEDLER, K. NÜRNBERG, T. HARDGE, G. NÜRNBERG, K. ENDER (Germany)

I AMSA membership: benefits and application

Number 2

141 Editorial
D.A. LEDWARD (UK)

143 Rate of carcass components gain, carcass characteristics, and muscle longissimus tenderness in lambs fed dietary protein sources with a low quality roughage diet
E.N. PONNAMPALAM, B.J. HOSKING, A.R. EGAN (Australia)

151 Effect of pre-slaughter physiological conditions on the oxidative stability of colour and lipid during chill storage of sliced, retail packed roast ham
D. JUNCHER, B. RØNN, T.B. HANSEN, P. HENCKEL, A. KARLSSON, L.H. SKIBSTED, G. BERTELSEN (Denmark)

161 The tenderisation of shin beef using a citrus juice marinade
R.M. BURKE, F.J. MONAHAN (Ireland)

169 Optimisation of colour stability of cured ham during packaging and retail display by a multifactorial design
J.K.S. MØLLER, M. JAKOBSEN, C.J. WEBER, T. MARTINUSSEN, L.H. SKIBSTED, G. BERTELSEN (Denmark)

177 Addition effects of bovine blood globin and sodium caseinate on the quality characteristics of raw and cooked ham pâté
J.G. SILVA, H.A. MORAIS, A.L. OLIVEIRA, M.P.C. SILVESTRE (Brazil)

185 Physical characteristics of pig fat and their relation to fatty acid composition
S.J. MAW, V.R. FOWLER, M. HAMILTON, A.M. PETCHEY (UK)

191 Soybean and milk proteins modified by transglutaminase improves chicken sausage texture even at reduced levels of phosphate
M. MUGURUMA, K. TSURUOKA, K. KATAYAMA, Y. ERWANTO, S. KAWAHARA, K. YAMAUCHI (Japan), S.K. SATHE (USA), T. SOEDA (Japan)

199 The significance of pre-slaughter stress and diet on colour and colour stability of pork
K. ROSENVOLD, H.J. ANDERSEN (Denmark)

211 Descriptive sensory profiling and physical/chemical analyses of warmed-over flavour in pork patties from carriers and non-carriers of the RN^- allele
D.V. BYRNE, M.G. O'SULLIVAN, W.L.P. BREDIE, H.J. ANDERSEN, M. MARTENS (Denmark)

225 Effects of massaging time on texture, rheological properties, and structure of three pork ham muscles
K. LACHOWICZ, M. SOBCZAK, L. GAJOWIECKI, A. ŻYCH (Poland)

235 Fractionation and characterization of edible sheep tail fat
M. ÜNSAL, N. AKTAŞ (Turkey)

241 Porcine oxymyoglobin and lipid oxidation in vitro
S. LEE, A.L. PHILLIPS, D.C. LIEBLER, C. FAUSTMAN (USA)

249 Quality characteristics of irradiated chicken breast rolls from broilers fed different levels of conjugated linoleic acid
M. DU, K.C. NAM, S.J. HUR, H. ISMAIL, Y.H. KIM, D.U. AHN (USA)

257 Carcass and meat quality characteristics of the progeny of two swine sire lines reared under differing environmental conditions
D.N. HAMILTON, M. ELLIS, B.F. WOLTER, F.K. MCKEITH, E.R. WILSON (USA)

265 Prediction of pork carcass composition based on cross-sectional region analysis of dual energy X-ray absorptiometry (DXA) scans
A.D. MITCHELL (USA), A.M. SCHOLZ (Germany), V.G. PURSEL (USA)

Research note

273 Effect of gamma irradiation on the texture and microstructure of chicken breast meat
K.S. YOON (USA)

I AMSA membership: benefits and application

Number 3

279 Effect of pre-slaughter rations of forage and/or concentrates on thecomposition and quality of retail packaged beef
A. O'SULLIVAN, K. GALVIN, A.P. MOLONEY, D.J. TROY, K. O'SULLIVAN, J.P. KERRY (Ireland)

287 Optimization of instrumental colour analysis in dry-cured ham
M. GARCÍA-ESTEBAN, D. ANSORENA, O. GIMENO, I. ASTIASARÁN (Spain)

293 Variation of the sensory quality within the *m. longissimus thoracis et lumborum* of PSE and normal pork
M.J. VAN OECKEL, N. WARNANTS (Belgium)

301 Changes in structure and color characteristics of irradiated chicken breasts as a function of dosage and storage time
Y. LIU, X. FAN, Y.-R. CHEN, D.W. THAYER (USA)

309 Effect of breed-type on performance and carcass traits of intensively managed hair sheep
J.M. BURKE, J.K. APPLE, W.J. ROBERTS, C.B. BOGER, E.B. KEGLEY (USA)

317 Binding and textural properties of beef gels processed with κ-carrageenan, egg albumin and microbial transglutaminase
Z. PIETRASIK (Poland)

325 Measuring the effects of phenotype and mechanical restraint on proteolytic degradation and rigor shortening in callipyge lamb longissimus dorsi muscle during extended aging
P.S. KUBER, S.K. DUCKETT, J.R. BUSBOOM, G.D. SNOWDER, M.V. DODSON, J.L. VIERCK, J.F. BAILEY (USA)

333 Sensory and functional meat quality characteristics of pork derived from three halothane genotypes
E.I. MOELICH, L.C. HOFFMAN, P.J. CONRADIE (South Africa)

339 Chemical sprays as a method for improvement in microbiological quality and shelf-life of fresh sheep and goat meats during refrigeration storage (5–7°C)
S. NADEEM AHMED, U.K. CHATTOPADHYAY, A.T. SHERIKAR, V.S. WASKAR, A.M. PATURKAR, C. LATHA, K.D. MUNDE, N.S. PATHARE (India)

345 Carcass and meat quality in double-muscled Belgian Blue bulls and cows
L.O. FIEMS, S. DE CAMPENEERE, W. VAN CAELENBERGH, J.L. DE BOEVER, J.M. VANACKER (Belgium)

353 Effect of transport time on sensorial aspects of beef meat quality
M. VILLARROEL, G.A. MARÍA, C. SAÑUDO, J.L. OLLETA (Spain), G. GEBRESENBET (Sweden)

359 Estimation of Canadian and European lean yields and composition of pig carcasses by dual-energy X-ray absorptiometry
M. MARCOUX, J.F. BERNIER, C. POMAR (Canada)

367 Modelling the effect of fatty acids in odour development of cooked meat in vitro: part I—sensory perception
M.M. CAMPO, G.R. NUTE, J.D. WOOD, S.J. ELMORE, D.S. MOTTRAM, M. ENSER (UK)

377 Lipid peroxidation-derived cytotoxic aldehyde, 4-hydroxy-2-nonenal in smoked pork
D.M.S. MUNASINGHE, K. ICHIMARU, T. MATSUI, K. SUGAMOTO, T. SAKAI (Japan)

381 A comparative study of boar taint in cooked and dry-cured meat
S. BAÑÓN, E. COSTA, M.D. GIL, M.D. GARRIDO (Spain)

389 Combination of aerobic and vacuum packaging to control lipid oxidation and off-odor volatiles of irradiated raw turkey breast
K.C. NAM, D.U. AHN (USA)

397 Effects of quality grade on the chemical, physical and sensory characteristics of Hanwoo (Korean native cattle) beef
C.J. KIM, E.S. LEE (South Korea)

407 Effect of citric acid on the radiation resistance of *Listeria monocytogenes* and frankfurter quality factors
C.H. SOMMERS, X. FAN, A.P. HANDEL, K. BAXENDALE SOKORAI (USA)

417 Effect of microbial transglutaminase and sodium caseinate on quality of chicken döner kebab
B. KILIC (Turkey)

423 Effect of *Carnobacterium piscicola* on aroma formation in sausage mince
C. LARROUTURE-THIVEYRAT, M. PEPIN, S. LEROY-SETRIN, M.-C. MONTEL (France)

I AMSA membership: benefits and application

Number 4

427 Effects of urea denatureation and pH on the ability of porcine myoglobin to undergo reduction
L.G. ZHU, M.S. BREWER (USA)

433 Combined effects of irradiation and the use of natural antioxidants on the shelf-life stability of overwrapped minced beef
Z. FORMANEK (Hungary), A. LYNCH, K. GALVIN (Ireland), J. FARKAS (Hungary), J.P. KERRY (Ireland)

441 Chemical and discriminant analysis of bovine meat by near infrared reflectance spectroscopy (NIRS)
D. ALOMAR, C. GALLO, M. CASTAÑEDA, R. FUCHSLOCHER (Chile)

451 A novel approach to grading pork carcasses: computer vision and ultrasound
A. FORTIN, A.K.W. TONG, W.M. ROBERTSON, S.M. ZAWADSKI, S.J. LANDRY, D.J. ROBINSON, T. LIU, R.J. MOCKFORD (Canada)

463 Ellipsometry across isolated muscle fibres indicates a refractive contribution to paleness in pork
H.J. SWATLAND (Canada)

469 Drip loss sampling in porcine *m. longissimus dorsi*
L.B. CHRISTENSEN (Denmark)

479 Behaviour of *Listeria monocytogenes* in raw sausages (merguez) in presence of a bacteriocin-producing lactococcal strain as a protective culture
N. BENKERROUM, A. DAOUDI, M. KAMAL (Morocco)

485 Cured products from different animal species
M.A. PALEARI, V.M. MORETTI, G. BERETTA, T. MENTASTI, C. BERSANI (Italy)

491 Meat quality of Angus, Simmental, Charolais and Limousin steers compared at the same intramuscular fat content
A. CHAMBAZ, M.R.L. SCHEEDER, M. KREUZER, P.-A. DUFEY (Switzerland)

501 Effects of lactic and acetic acid salts on quality characteristics of enhanced pork during retail display
J.M. JENSEN, K.L. ROBBINS, K.J. RYAN, C. HOMCO-RYAN, F.K. MCKEITH, M.S. BREWER (USA)

509 Effect of season on color of Hanwoo (Korean native cattle) beef
Y.S. KIM, S.K. YOON, Y.H. SONG, S.K. LEE (South Korea)

515 On-line prediction of chemical composition of semi-frozen ground beef by non-invasive NIR spectroscopy
G. TØGERSEN, J.F. ARNESEN, B.N. NILSEN, K.I. HILDRUM (Norway)

525 Maintaining muscles at a high post-mortem temperature induces PSE-like meat in turkey
C. MOLETTE, H. RÉMIGNON, R. BABILÉ (France)

533 Physicochemical characteristics of three muscles from free-range reared Iberian pigs slaughtered at 90 kg live weight
R. CAVA, M. ESTÉVEZ, J. RUIZ, D. MORCUENDE (Spain)

I AMSA membership: benefits and application

Contents of Volume 64

Number 1

1 Effects of vitamin E supplementation on fattening performance, non-carcass components and retail cut percentages, and meat quality traits of Awassi lambs
M. MACIT, V. AKSAKAL, E. EMSEN, N. ESENBUĞA, M.İ. AKSU (Turkey)

7 Lipolysis and lipid oxidation during chilled storage of meat from Large White and Pietrain pigs
G. MONIN (France), M. HORTÓS, I. DIAZ (Spain), E. ROCK (France), J.A. GARCIA-REGUEIRO (Spain)

13 Functional properties of raw and cooked pork patties with added irradiated, freeze-dried green tea leaf extract powder during storage at 4 °C
C. JO, J.H. SON, C.B. SON, M.W. BYUN (South Korea)

19 Lipid oxidation of pressurized and cooked chicken: role of sodium chloride and mechanical processing on TBARS and hexanal values
E. BELTRAN, R. PLA, J. YUSTE, M. MOR-MUR (Spain)

27 Using Activa® TG-RM to bind beef muscles after removal of excessive seam fat between the *m. longissimus thoracis* and *m. spinalis dorsi* and heavy connective tissue from within the *m. infraspinatus*
D.S. KOLLE, J.W. SAVELL (USA)

35 Meat quality comparison of Berkshire, Duroc and crossbred pigs sired by Berkshire and Duroc
K. SUZUKI, T. SHIBATA, H. KADOWAKI, H. ABE, T. TOYOSHIMA (Japan)

43 Relationship among collagen amount, distribution and architecture in the *M. longissimus thoracis* and *M. pectoralis profundus* from pigs
Y.-N. NAKAMURA, H. IWAMOTO, Y. ONO, N. SHIBA, S. NISHIMURA, S. TABATA (Japan)

51 Development and evaluation of a fermented cabrito snack stick product
G.H. COSENZA, S.K. WILLIAMS, D.D. JOHNSON, C. SIMS, C.H. McGOWAN (USA)

59 Evaluation of the antioxidant ability of hydrazine-purified and untreated commercial carnosine in beef patties
A. SÁNCHEZ-ESCALANTE, D. DJENANE, G. TORRESCANO, B. GIMÉNEZ, J.A. BELTRÁN, P. RONCALÉS (Spain)

69 Changes of myofibrillar and centrifugal drip proteins and shear force of *psoas major* and *minor* and *semitendinosus* muscles from calves, heifers and cows during post-mortem ageing
T. KOŁCZAK, E. POSPIECH, K. PALKA, J. ŁĄCKI (Poland)

77 Changes in structure of *psoas major* and *minor* and *semitendinosus* muscles of calves, heifers and cows during post-mortem ageing
T. KOŁCZAK, E. POSPIECH, K. PALKA, J. ŁĄCKI (Poland)

85 Shear values of raw samples of 14 bovine muscles and their relation to muscle collagen characteristics
G. TORRESCANO, A. SÁNCHEZ-ESCALANTE, B. GIMÉNEZ, P. RONCALÉS, J.A. BELTRÁN (Spain)

93 Relationships of myosin heavy chain fibre types to meat quality traits in traditional and modern pigs
K.C. CHANG, N. DA COSTA, R. BLACKLEY, O. SOUTHWOOD, G. EVANS, G. PLASTOW, J.D. WOOD, R.I. RICHARDSON (UK)

V AMSA membership: benefits and application

Number 2

105 Influence of the time of year on the incidence of PSE and DFD in Irish pigmeat
D.J. O'NEILL, P.B. LYNCH, D.J. TROY, D.J. BUCKLEY, J.P. KERRY (Ireland)

113 Effects of PSE on the quality of cooked hams
D.J. O'NEILL, P.B. LYNCH, D.J. TROY, D.J. BUCKLEY, J.P. KERRY (Ireland)

119 Development and evaluation of a cabrito smoked sausage product
G.H. COSENZA, S.K. WILLIAMS, D.D. JOHNSON, C. SIMS, C.H. MCGOWAN (USA)

125 Effect of processing plant on pork quality
E. HAMBRECHT, J.J. EISSEN, M.W.A. VERSTEGEN (The Netherlands)

133 Relationships between dietary fatty acid composition and either melting point or fatty acid profile of adipose tissue in broilers
F.J. BAVELAAR, A.C. BEYNEN (The Netherlands)

141 Batch accuracy of on-line fat determination
P.W. HANSEN, I. THOLL, C. CHRISTENSEN, H.-C. JEHG, J. BORG, O. NIELSEN, B. ØSTERGAARD, J. NYGAARD, O. ANDERSEN (Denmark)

149 Degradation of γ- and α-tocopherol and formation of 5-nitro-γ-tocopherol induced by peroxynitrite in liposomes and skeletal muscle
R.G. BRANNAN, E.A. DECKER (USA)

157 Reflectance at 610 nanometers estimates oxymyoglobin content on the surface of ground beef
R.A. MANCINI, M.C. HUNT, D.H. KROPF (USA)

163 Purification and characterization of a novel glutamyl aminopeptidase from chicken meat
K. MAEHASHI, T. ABE, T. YASUHARA, K. YAMASATO, Y. YAMAMOTO, S. UDAKA (Japan)

169 Growth parameters and meat quality of finishing hogs supplemented with creatine monohydrate and a high glycemic carbohydrate for the last 30 days of production
C.A. STAHL, E.P. BERG (USA)

175 Sensory and chemical assessment of pork supplemented with iron and vitamin E
M.G. O'SULLIVAN, D.V. BYRNE, J.H. NIELSEN, H.J. ANDERSEN, M. MARTENS (Denmark)

191 The influence of post-mortem ageing and roasting on the microstructure, texture and collagen solubility of bovine *semitendinosus* muscle
K. PALKA (Poland)

199 The effects of carrageenan and pectin on some quality characteristics of low-fat beef frankfurters
K. CANDOGAN, N. KOLSARICI (Turkey)

207 Storage stability of low-fat beef frankfurters formulated with carrageenan or carrageenan with pectin
K. CANDOGAN, N. KOLSARICI (Turkey)

215 Effect of castration on meat quality in Piemontese cattle
G. DESTEFANIS, A. BRUGIAPAGLIA, M.T. BARGE, C. LAZZARONI (Italy)

I AMSA membership: benefits and application

Number 3

219 Factors of significance for pork quality—a review
K. ROSENVOLD, H.J. ANDERSEN (Denmark)

239 Stable isotope ratio analysis for authentication of lamb meat
E. PIASENTIER, R. VALUSSO, F. CAMIN, G. VERSINI (Italy)

249 Artificial intelligence techniques point out differences in classification performance between light and standard bovine carcasses
J. DIEZ, A. BAHAMONDE, J. ALONSO, S. LÓPEZ, J.J. DEL COZ, J.R. QUEVEDO, J. RANILLA, O. LUACES, I. ALVAREZ, L.J. ROYO, F. GOYACHE (Spain)

259 Whey and soy protein hydrolysates inhibit lipid oxidation in cooked pork patties
E.A. PEÑA-RAMOS (Mexico), Y.L. XIONG (USA)

265 Influence of pH and temperature on growth and bacteriocin production by *Leuconostoc mesenteroides* L124 and *Lactobacillus curvatus* L442
M. MATARAGAS, J. METAXOPOULOS, M. GALIOTOU, E.H. DROSINOS (Greece)

273 Injection of sodium chloride, sodium tripolyphosphate, and sodium lactate improves Warner–Bratzler shear and sensory characteristics of pre-cooked inside round roasts
M.R. MCGEE, K.L. HENRY, J.C. BROOKS, F.K. RAY, J.B. MORGAN (USA)

279 Dietary vitamin E supplementation effects on the color and sensory characteristics of enhanced beef steaks
K. ROBBINS, J. JENSEN, K.J. RYAN, C. HOMCO-RYAN, F.K. MCKEITH, M.S. BREWER (USA)

287 Differences in meat quality between organically and conventionally produced pigs
V. OLSSON, K. ANDERSSON, I. HANSSON, K. LUNDSTRÖM (Sweden)

299 Effects of calcium salts on beef *longissimus* quality
T.E. LAWRENCE, M.E. DIKEMAN, M.C. HUNT, C.L. KASTNER, D.E. JOHNSON (USA)

309 Fatty acid profile, cholesterol content and tenderness of ostrich meat as influenced by age at slaughter and muscle type
A. GIROLAMI, I. MARSICO, G. D'ANDREA, A. BRAGHIERI, F. NAPOLITANO, G.F. CIFUNI (Italy)

317 Effect of dietary vitamin E supplementation on textural and aroma attributes of enhanced beef clod roasts in a cook/hot-hold situation
K. ROBBINS, J. JENSEN, K.J. RYAN, C. HOMCO-RYAN, F.K. MCKEITH, M.S. BREWER (USA)

323 Partial substitution of pork backfat with extra-virgin olive oil in 'salami' products: effects on chemical, physical and sensorial quality
C. SEVERINI, T. DE PILLI, A. BAIANO (Italy)

I AMSA membership: benefits and application

Number 4

333 Relationship of texture profile analysis and Warner-Bratzler shear force with sensory characteristics of beef rib steaks
W.R. CAINE, J.L. AALHUS, D.R. BEST, M.E.R. DUGAN, L.E. JEREMIAH (Canada)

341 Possible mechanism for the effect of the RN^- allele on pork tenderness
Å. JOSELL, L. MARTINSSON, E. TORNBERG (Sweden)

351 Effect of stunning conditions on occurence of PSE defects in hams of $rn+/RN^-$ pigs
M. FRANCK (France), M. SVENSSON, G. VON SETH, Å. JOSELL (Sweden), Ph. FIGWER, M.T. POIREL, G. MONIN (France)

357 Storage and packaging effects on sensory and color characteristics of ground beef
J.L. MONTGOMERY, F.C. PARRISH JR., D.G. OLSON, J.S. DICKSON, S. NIEBUHR (USA)

365 The effect of night transportation on the heart rate and skin temperature of ostriches during real transportation
C. CROWTHER, R. DAVIES, W. GLASS (New Zealand)

371 Effect of sodium citrate, carboxymethyl cellulose and carrageenan levels on quality characteristics of low-salt and low-fat bologna type sausages
M. RUUSUNEN, J. VAINIONPÄÄ, E. PUOLANNE, M. LYLY, L. LÄHTEENMÄKI, M. NIEMISTÖ, R. AHVENAINEN (Finland)

383 Physical evaluation of popped cereal snacks with spent hen meat
S.O. LEE, J.S. MIN, I.S. KIM, M. LEE (South Korea)

391 Coupling process for plasma protein fractionation using ethanol precipitation and ion exchange chromatography
F. MOURE, M. RENDUELES, M. DIAZ (Spain)

399 Chicken muscle homogenate gelation properties: effect of pH and muscle fiber type
T. LESIÓW (Poland), Y.L. XIONG (USA)

405 Genetic parameters for meat and fat quality and carcass composition traits in Iberian pigs
A. FERNÁNDEZ, E. DE PEDRO, N. NÚÑEZ, L. SILIÓ, J. GARCÍA-CASCO, C. RODRÍGUEZ (Spain)

411 EU carcass classification system: carcass and meat quality in light lambs
C. RUSSO, G. PREZIUSO, P. VERITÀ (Italy)

417 Extension of the shelf life of beef steaks packaged in a modified atmosphere by treatment with rosemary and displayed under UV-free lighting
D. DJENANE (Spain), A. SÁNCHEZ-ESCALANTE (Mexico), J.A. BELTRÁN, P. RONCALÉS (Spain)

427 Screening test to detect meat adulteration through the determination of hemoglobin by cation exchange chromatography with diode array detection
R. WISSIACK, B. DE LA CALLE, G. BORDIN, A.R. RODRIGUEZ (Belgium)

433 Acceptability of boar meat by consumers depending on their age, gender, culinary habits, and sensitivity and appreciation of androstenone odour
M. FONT I FURNOLS, M. GISPERT, A. DIESTRE, M.A. OLIVER (Spain)

441 Quality characteristics of Chinese sausages made from PSE pork
C.C. KUO, C.Y. CHU (Taiwan)

451 Effect of diet and fat content on the functional properties of thawed beef
M.M. FAROUK, K.J. WIELICZKO (New Zealand)

459 The influence of diets containing either conventional corn, conventional corn with choice white grease, high oil corn, or high oil high oleic corn on belly/bacon quality
G. RENTFROW, T.E. SAUBER, G.L. ALLEE, E.P. BERG (USA)

467 Survey of conditioning indicators for pork loins: changes in myofibrils, proteins and peptides during postmortem conditioning of vacuum-packed pork loins for 30 days
T. OKUMURA, R. YAMADA, T. NISHIMURA (Japan)

475 Effects of feeding elevated concentrations of monounsaturated fatty acids and vitamin E to swine on characteristics of dry cured hams
B. ISABEL, C.J. LOPEZ-BOTE, L. DE LA HOZ, M. TIMÓN, C. GARCÍA, J. RUIZ (Spain)

483 Extraction properties and absorption spectra of dry cured hams made with and without nitrate
G. PAROLARI, L. GABBA, G. SACCANI (Italy)

491 Patterns of growth and partitioning of fat depots in tropical fat-tailed Menz and Horro sheep breeds
E. NEGUSSIE, O.J. ROTTMANN (Finland), F. PIRCHNER (Germany), J.E.O. REGE (Ethiopia)

499 Physico-chemical characteristics of *M. Longissimus dorsi* from three lines of free-range reared Iberian pigs slaughtered at 90 kg live-weight and commercial pigs: a comparative study
M. ESTÉVEZ, D. MORCUENDE, R.C. LÓPEZ (Spain)

507 Warner–Bratzler shear evaluations of 40 bovine muscles
J.B. BELEW, J.C. BROOKS, D.R. MCKENNA, J.W. SAVELL (USA)

I AMSA membership: benefits and application

Contents of Volume 65

Number 1

513 Effect of dietary vitamin E and irradiation on lipid oxidation, color, and volatiles of fresh and previously frozen turkey breast patties
K.C. NAM, B.R. MIN, H. YAN, E.J. LEE, A. MENDONCA, I. WESLEY, D.U. AHN (USA)

523 Comparison of acidic and alkaline catalysts for preparation of fatty acid methyl esters from ovine muscle with emphasis on conjugated linoleic acid
C.M. MURRIETA, B.W. HESS, D.C. RULE (USA)

531 Evaluation of sodium lactate as a replacement for conventional chemical preservatives in comminuted sausages inoculated with *Listeria monocytogenes*
S.H. CHOI, K.B. CHIN (South Korea)

539 Properties of restructured beef steaks from forage- and grain-fed cattle as affected by antioxidant and flavoring agents
D. REVERTE, Y.L. XIONG, W.G. MOODY (USA)

547 Utilization of pork collagen for functionality improvement of boneless cured ham manufactured from pale, soft, and exudative pork
M.W. SCHILLING, L.E. MINK, P.S. GOCHENOUR, N.G. MARRIOTT, C.Z. ALVARADO (USA)

555 Meat quality in male fallow deer (*Dama dama*): effects of age and supplementary feeding
L.A. VOLPELLI, R. VALUSSO, M. MORGANTE, P. PITTIA, E. PIASENTIER (Italy)

563 Meat quality of designated South African indigenous goat and sheep breeds
P.A. TSHABALALA, P.E. STRYDOM, E.C. WEBB, H.L. DE KOCK (South Africa)

571 Influence of dietary fat, on fatty acid composition and sensory properties of dry-cured Parma ham
G. PASTORELLI, S. MAGNI, R. ROSSI, E. PAGLIARINI, P. BALDINI (Italy), P. DIRINCK, F. VAN OPSTAELE (Belgium), C. CORINO (Italy)

581 Early prediction of water-holding capacity in meat by multivariate vibrational spectroscopy
D.K. PEDERSEN (Denmark), S. MOREL (France), H.J. ANDERSEN, S.B. ENGELSEN (Denmark)

593 Fatty acid composition of intramuscular lipids in various muscles of Holstein-Friesian bulls slaughtered at different ages
Z. LENGYEL, F. HUSVÉTH, P. POLGÁR, F. SZABÓ, L. MAGYAR (Hungary)

599 Sensitive and semi-quantitative TaqMan™ real-time polymerase chain reaction systems for the detection of beef (*Bos taurus*) and the detection of the family *Mammalia* in food and feed
P.D. BRODMANN, D. MOOR (Switzerland)

609 Evaluation of survival of *Staphylococcus aureus* and *Clostridium botulinum* in charqui meats
J.A.F. LARA, S.W.B. SENIGALIA, T.C.R.M. OLIVEIRA, I.S. DUTRA, M.F. PINTO, M. SHIMOKOMAKI (Brazil)

615 Effect of antimicrobial proteins from porcine leukocytes on *Staphylococcus aureus* and *Escherichia coli* in comminuted meats
F.-S. WANG (Taiwan)

623 Effect of crossbreeding and rearing system on sensory characteristics of Iberian ham
A.I. CARRAPISO, F. BONILLA, C. GARCÍA (Spain)

631 High temperature reduction of metmyoglobin in aqueous muscle extracts
H.M. OSBORN, H. BROWN, J.B. ADAMS, D.A. LEDWARD (UK)

639 Growth of carcass components and its relation with conformation in pigs of three types
A.V. FISHER, D.M. GREEN, C.T. WHITTEMORE, J.D. WOOD, C.P. SCHOFIELD (UK)

651 Sensory quality and the incidence of PSE of pork in relation to crossbreed and *RN* phenotype
Å. JOSELL, G. VON SETH, E. TORNBERG (Sweden)

661 Prediction of pork quality attributes from near infrared reflectance spectra
G.H. GEESINK, F.H. SCHREUTELKAMP, R. FRANKHUIZEN, H.W. VEDDER, N.M. FABER, R.W. KRANEN, M.A. GERRITZEN (The Netherlands)

669 Meat nitrosamine contamination level depending on animal breeding factors
R. RYWOTYCKI (Poland)

I AMSA membership: benefits and application

Number 2

677 The biochemical and physical effects of electrical stimulation on beef and sheep meat tenderness
I.H. HWANG (South Korea), C.E. DEVINE (New Zealand), D.L. HOPKINS (Australia)

693 Carcass traits of Rambouillet and Merino × Rambouillet lambs and fatty acid profiles of muscle and subcutaneous adipose tissues as affected by new sheep production system
K.S. RHEE, C.J. LUPTON, Y.A. ZIPRIN, K.C. RHEE (USA)

701 Effects of sheep production systems on oxidative storage stability of lean lamb patties
K.S. RHEE, C.J. LUPTON, Y.A. ZIPRIN, K.C. RHEE (USA)

707 Prediction of technological quality (cooking loss and Napole Yield) of pork based on fresh meat characteristics
H.C. BERTRAM, H.J. ANDERSEN, A.H. KARLSSON, P. HORN, J. HEDEGAARD, L. NØRGAARD, S.B. ENGELSEN (Denmark)

713 Determination of fatty acids in the subcutaneous fat of Iberian breed swine by near infrared spectroscopy (NIRS) with a fibre-optic probe
I. GONZÁLEZ-MARTÍN, C. GONZÁLEZ-PÉREZ, J. HERNÁNDEZ-MÉNDEZ, N. ALVAREZ-GARCÍA (Spain)

721 Consumer attitudes towards beef and acceptability of enhanced beef
K. ROBBINS, J. JENSEN, K.J. RYAN, C. HOMCO-RYAN, F.K. MCKEITH, M.S. BREWER (USA)

731 The interaction between calpastatin and RYR1 genes for some pork quality traits
M. KOĆWIN-PODSIADŁA, J. KURYŁ, E. KRZĘCIO, A. ZYBERT, W. PRZYBYLSKI (Poland)

737 Consumer and sensory investigations in relation to physical/chemical aspects of cooked pork in Scandinavia
E.A. BRYHNI (Norway), D.V. BYRNE (Denmark), M. RØDBOTTEN (Norway), S. MØLLER, C. CLAUDI-MAGNUSSEN, A. KARLSSON (Denmark), H. AGERHEM, M. JOHANSSON (Sweden), M. MARTENS (Denmark)

749 Konjac/gellan gum mixed gels improve the quality of reduced-fat frankfurters
K.-W. LIN, H.-Y. HUANG (Taiwan, ROC)

757 Spinal cord tissue detection in comminuted beef: comparison of two immunological methods
M. HAJMEER, D.O. CLIVER, R. PROVOST (USA)

765 Isotachophoretic determination of added phosphate in meat products
M. DUŠEK, F. KVASNIČKA, L. LUKÁŠKOVÁ, J. KRÁTKÁ (Czech Republic)

771 The effect of quantity and timing of brine addition on water binding and textural characteristics of cooked beef rolls
Z. PIETRASIK (Poland), P.J. SHAND (Canada)

779 Conservation of *Cervus elaphus* meat in modified atmospheres
H. VERGARA, L. GALLEGO, A. GARCÍA, T. LANDETE-CASTILLEJOS (Spain)

785 Consumer sensory evaluation of plain and seasoned goat meat and beef products
K.S. RHEE, C.E. MYERS, D.F. WALDRON (USA)

791 The influence of the rate of pH decline on the rate of ageing for pork. I: interaction with method of suspension
M.P. REES, G.R. TROUT, R.D. WARNER (Australia)

805 The influence of the rate of pH decline on the rate of ageing for pork. II: interaction with chilling temperature
M.P. REES, G.R. TROUT, R.D. WARNER (Australia)

819 The effect of replacing fat with oat bran on fatty acid composition and physicochemical properties of meatballs
I. YILMAZ, O. DAĞLIOĞLU (Turkey)

825 Comparison of the performances of Nero Siciliano pigs reared indoors and outdoors. 1. Growth and carcass composition
C. PUGLIESE, G. MADONIA, V. CHIOFALO, S. MARGIOTTA, A. ACCIAIOLI, G. GANDINI (Italy)

833 Effect of sodium chloride replacement on some characteristics of fermented sausages
J. GELABERT, P. GOU, L. GUERRERO, J. ARNAU (Spain)

841 Effects of cooking method, reheating, holding time, and holding temperature on beef *longissimus lumborum* and *biceps femoris* tenderness
E. OBUZ, M.E. DIKEMAN, T.M. LOUGHIN (USA)

853 Effect of level, source, and time of feeding prior to slaughter of supplementary dietary magnesium on pork quality
D.N. HAMILTON, M. ELLIS, F.K. MCKEITH, J.M. EGGERT (USA)

859 Characterization of lactic acid bacteria isolated from a Greek dry-fermented sausage in respect of their technological and probiotic properties
E. PAPAMANOLI, N. TZANETAKIS, E. LITOPOULOU-TZANETAKI, P. KOTZEKIDOU (Greece)

869 Quality characteristics of low fat ostrich meat patties formulated with either pork lard or modified corn starch, soya isolate and water
L.C. HOFFMAN, F.D. MELLETT (South Africa)

877 Effect of the fungal extracellular protease EPg222 on texture of whole pieces of pork loin
M.J. BENITO, M. RODRÍGUEZ, R. ACOSTA, J.J. CÓRDOBA (Spain)

885 Lipid, instrumental color and sensory characteristics of ground beef produced using trisodium phosphate, cetylpypiridinium chloride, chlorine dioxide or lactic acid as multiple antimicrobial interventions
J.R. JIMENEZ-VILLARREAL, F.W. POHLMAN, Z.B. JOHNSON, A.H. BROWNJR. (USA)

893 Physicochemical and sensory characterisation of *Morcilla de Burgos*, a traditional Spanish blood sausage
E.M. SANTOS (Mexico), C. GONZÁLEZ-FERNÁNDEZ, I. JAIME, J. ROVIRA (Spain)

899 Effect of transglutaminase-induced cross-linking on gelation of myofibrillar/soy protein mixtures
J.C. RAMIREZ-SUÁREZ, Y.L. XIONG (USA)

909 Evaluation of pork colour: prediction of visual sensory quality of meat from instrumental and computer vision methods of colour analysis
M.G. O'SULLIVAN, D.V. BYRNE, H. MARTENS, L.H. GIDSKEHAUG, H.J. ANDERSEN, M. MARTENS (Denmark)

919 Effect of gamma radiation on refrigerated mechanically deboned chicken meat quality
H. DE A. GOMES (Brazil), E.N. DA SILVA, H.M.A.B. CARDELLOK.M.V.A.B. CIPOLLI (Brazil)

927 Pork loin color relative to sensory and instrumental tenderness and consumer acceptance
J.L. NORMAN, E.P. BERG, H. HEYMANN, C.L. LORENZEN (USA)

I AMSA membership: benefits and application

Number 3

935 Mould starter cultures for dry sausages—selection, application and effects
L.O. SUNESEN, L.H. STAHNKE (Denmark)

949 Assessment of palatability attributes of the major beef muscles
L.E. JEREMIAH, L.L. GIBSON, J.L. AALHUS, M.E.R. DUGAN (Canada)

959 Radio frequency cooking of ground, comminuted and muscle meat products
L. LAYCOCK, P. PIYASENA, G.S. MITTAL (Canada)

967 Staged injection marination with calcium lactate, phosphate and salt may improve beef water-binding ability and palatability traits
T.E. LAWRENCE, M.E. DIKEMAN, M.C. HUNT, C.L. KASTNER, D.E. JOHNSON (USA)

973 Effect of grind size and fat levels on the physico-chemical and sensory characteristics of low-fat ground buffalo meat patties
S.P. SUMAN, B.D. SHARMA (India)

977 The impact of single antimicrobial intervention treatment with cetylpyridinium chloride, trisodium phosphate, chlorine dioxide or lactic acid on ground beef lipid, instrumental color and sensory characteristics
J.R. JIMENEZ-VILLARREAL, F.W. POHLMAN, Z.B. JOHNSON, A.H. BROWN, JR., R.T. BAUBLITS (USA)

985 Assessment of the chemical and cooking properties of the major beef muscles and muscle groups
L.E. JEREMIAH, M.E.R. DUGAN, J.L. AALHUS, L.L. GIBSON (Canada)

993 Effects of cooking beef muscles from frozen or thawed states on cooking traits and palatability
E. OBUZ, M.E. DIKEMAN (USA)

999 Determination of animal skeletal maturity by image processing
I. HATEM, J. TAN, D.E. GERRARD (USA)

1005 Microbiological effects of carcass decontaminating treatments at four beef packing plants
C.O. GILL, C. LANDERS (Canada)

1013 Assessment of the relationship between chemical components and palatability of major beef muscles and muscle groups
L.E. JEREMIAH, M.E.R. DUGAN, J.L. AALHUS, L.L. GIBSON (Canada)

1021 The effects of multiple antimicrobial interventions on processing, lipid, textural, instrumental color and sensory characteristics when used in a ground beef patty production system
J.R. JIMENEZ-VILLARREAL, F.W. POHLMAN, Z.B. JOHNSON, A.H. BROWN, JR. (USA)

1031 The effects of castration on the eating quality of dry-cured ham
S. BAÑÓN, M.D. GIL, M.D. GARRIDO (Spain)

1039 Effect of dietary linseed oil and α-tocopherol on pork tenderloin (*Psoas major*) muscle
L. HOZ, C.J. LOPEZ-BOTE, M.I. CAMBERO, M. D'ARRIGO, C. PIN, C. SANTOS, J.A. ORDÓÑEZ (Spain)

1045 The influence of environment, mode of nutrition and animal species on level of nitrosamine contamination in venison
R. RYWOTYCKI (Poland)

1055 Effects of chlorine dioxide, cetylpyridinium chloride, lactic acid and trisodium phosphate on physical, chemical and sensory properties of ground beef
J.R. JIMENEZ-VILLARREAL, F.W. POHLMAN, Z.B. JOHNSON, A.H. BROWN, JR. (USA)

1063 The relationship between pig genetics, myosin heavy chain I, biochemical traits and quality of *M. longissimus thoracis*
M. GIL, M.À. OLIVER, M. GISPERT, A. DIESTRE (Spain), A.A. SOSNICKI (USA), A. LACOSTE (France), D. CARRIÓN (Spain)

1071 Factors influencing intention to purchase beef in the Irish market
M. MCCARTHY, M. DE BOER, S. O'REILLY, L. COTTER (Ireland)

1085 Physico-chemical characteristics of carcass and meat Manchego-breed suckling lambs slaughtered at different weights
M.T. DÍAZ, S. VELASCO, C. PÉREZ, S. LAUZURICA, F. HUIDOBRO, V. CAÑEQUE (Spain)

1095 Labelling information demanded by European consumers and relationships with purchasing motives, quality and safety of meat
A. BERNUÉS, A. OLAIZOLA (Spain), K. CORCORAN (UK)

1107 Prediction of color, texture, and sensory characteristics of beef steaks by visible and near infrared reflectance spectroscopy. A feasibility study
Y. LIU, B.G. LYON, W.R. WINDHAM, C.E. REALINI, T.D.D. PRINGLE, S. DUCKETT (USA)

1117 Rapid detection of chicken and turkey in heated meat products using the polymerase chain reaction followed by amplicon visualisation with vistra green
H. HIRD, R. GOODIER, M. HILL (UK)

1125 A comparison of warmed-over flavour in pork by sensory analysis, GC/MS and the electronic nose
M.G. O'SULLIVAN, D.V. BYRNE, M.T. JENSEN, H.J. ANDERSEN (Denmark), J. VESTERGAARD (Finland)

1139 Oxidative and colour changes in meat from three lines of free-range reared Iberian pigs slaughtered at 90 kg live weight and from industrial pig during refrigerated storage
M. ESTÉVEZ, D. MORCUENDE, R. CAVA (Spain)

1147 Commercial antioxidants control lipid oxidation in mechanically deboned turkey meat
M.B. MIELNIK, K. AABY, G. SKREDE (Norway)

1157 Oxidative and lipolytic deterioration of different muscles from free-range reared Iberian pigs under refrigerated storage
D. MORCUENDE, M. ESTÉVEZ, J. RUIZ, R. CAVA (Spain)

1165 The effects of sodium lactate and starter cultures on pH, lactic acid bacteria, *Listeria monocytogenes* and *Salmonella* spp. levels in pure chicken dry fermented sausage
F. DEUMIER, A. COLLIGNAN (France)

1175 Detection of Iberian ham aroma by a semiconductor multisensorial system
L. OTERO, M.C. HORRILLO, M. GARCÍA, I. SAYAGO, M. ALEIXANDRE, M.J. FERNÁNDEZ, L. ARÉS, J. GUTIÉRREZ (Spain)

1187 High pressure processing applied to cooked sausage manufacture: physical properties and sensory analysis
M. MOR-MUR, J. YUSTE (Spain)

1193 The effects of dietary oregano essential oil and α-tocopheryl acetate on lipid oxidation in raw and cooked turkey during refrigerated storage
N.A. BOTSOGLOU, S.H. GRIGOROPOULOU, E. BOTSOGLOU, A. GOVARIS, G. PAPAGEORGIOU (Greece)

I AMSA membership: benefits and application

Number 4

1201 Dissemination of central nervous system tissue from the brain and spinal cord of cattle after captive bolt stunning and carcass splitting
D.M. PRENDERGAST, J.J. SHERIDAN, D.J. DALY (Ireland), D.A. MCDOWELL, I.S. BLAIR (UK)

1211 Strategies to eliminate atypical flavours and aromas in sow loins. I. Optimization of sodium tripolyphosphate, sodium bicarbonate, and injection level
J.J. SINDELAR, F. PROCHASKA, J. BRITT, G.L. SMITH, R.K. MILLER, R. TEMPLEMAN, W.N. OSBURN (USA)

1223 Strategies to eliminate atypical aromas and flavors in sow loins—part II: consumer acceptance of loins marinated with sodium tripolyphosphate and sodium bicarbonate
J.J. SINDELAR, F. PROCHASKA, J. BRITT, G.L. SMITH, W.N. OSBURN (USA)

1231 Pore formation in cured–smoked pork determined with image analysis—effects of tumbling and *RN*$^-$ gene
A. HULLBERG, L. BALLERINI (Sweden)

1237 Meat quality, fatty acid composition and flavour analysis in Belgian retail beef
K. RAES, A. BALCAEN, P. DIRINCK, A. DE WINNE, E. CLAEYS, D. DEMEYER, S. DE SMET (Belgium)

1247 Physico-chemical characteristics of carcass and meat Manchego-breed suckling lambs slaughtered at different weights
M.T. DIAZ, S. VELASCO, C. PÉREZ, S. LAUZURICA, F. HUIDOBRO, V. CAÑEQUE (Spain)

1257 Development of a polymerase chain reaction assay for species identification of goose and mule duck in *foie gras* products
M.A. RODRÍGUEZ, T. GARCÍA, I. GONZÁLEZ, L. ASENSIO, B. MAYORAL, I. LÓPEZ-CALLEJA, P.E. HERNÁNDEZ, R. MARTÍN (Spain)

1265 Comparison of six crossbred lamb types: sensory, physical and nutritional meat quality characteristics
L.C. HOFFMAN, M. MULLER, S.W.P. CLOETE, D. SCHMIDT (South Africa)

1275 Effect of the relative humidity of drying air during the resting period on the composition and appearance of dry-cured ham surface
J. ARNAU, P. GOU, J. COMAPOSADA (Spain)

1281 The significance of cooling rate on water dynamics in porcine muscle from heterozygote carriers and non-carriers of the halothane gene—a low-field NMR relaxation study
H.C. BERTRAM, A.H. KARLSSON, H.J. ANDERSEN (Denmark)

1293 Whey protein concentrates effects on pink color development in a cooked ground turkey breast model system
L.M. SAMMEL, J.R. CLAUS (USA)

1301 The effect of supplementation with expanded sunflower seed on carcass and meat quality of lambs raised on pasture
J. SANTOS-SILVA, R.J.B. BESSA, I.A. MENDES (Portugal)

1309 Application of constant current, low voltage electrical stimulation systems to pig carcasses and its effects on pork quality
H.A. CHANNON, P.J. WALKER, M.G. KERR, S.R. BAUD (Australia)

1315 Effect of low voltage electrical stimulation of pig carcasses and ageing on sensory attributes of fresh pork
H.A. CHANNON, S.R. BAUD, M.G. KERR, P.J. WALKER (Australia)

1325 Effect of stun duration and current level applied during head to back and head only electrical stunning of pigs on pork quality compared with pigs stunned with CO_2
H.A. CHANNON, A.M. PAYNE, R.D. WARNER (Australia)

1335 Effect of transport time and ageing on aspects of beef quality
G.A. MARÍA, M. VILLARROEL, C. SAÑUDO, J.L. OLLETA (Spain), G. GEBRESENBET (Sweden)

1341 The influence of *RN* genotype, including the new V199I allele, on the eating quality of pork loin
Å. JOSELL, A.-C. ENFÄLT, G. VON SETH (Sweden), G. LINDAHL (Denmark), I. HEDEBRO-VELANDER, L. ANDERSSON, K. LUNDSTRÖM (Sweden)

1353 Effect of phosphate with tumbling on lipid oxidation of precooked roast beef
J. CHENG, H.W. OCKERMAN (USA)

1361 Improvement of nutritional properties of Chorizo de Pamplona by replacement of pork backfat with soy oil
E. MUGUERZA, D. ANSORENA, I. ASTIASARÁN (Spain)

1369 Effect of sex and terminal sire genotype on performance, carcass characteristics, and meat quality of pigs slaughtered at 117 kg body weight
M.A. LATORRE, R. LÁZARO, M.I. GRACIA, M. NIETO, G.G. MATEOS (Spain)

1379 Effect of dietary energy content on the intramuscular fat depots and triglyceride composition of river buffalo meat
A. DI LUCCIA, A. SATRIANI, C.M.A. BARONE, P. COLATRUGLIO, S. GIGLI, M. OCCIDENTE, E. TRIVELLONE, A. ZULLO, D. MATASSINO (Italy)

1391 Physicochemical and sensory characteristics of restructured beef steak with added walnuts
F. JIMÉNEZ COLMENERO, A. SERRANO, J. AYO, M.T. SOLAS, S. COFRADES, J. CARBALLO (Spain)

1399 Mathematical relationships between the intake of n-6 and n-3 polyunsaturated fatty acids and their contents in adipose tissue of growing pigs
L.Q. NGUYEN (Viet Nam), M.C.G.A. NUIJENS, H. EVERTS, N. SALDEN, A.C. BEYNEN (The Netherlands)

1407 True retention of nutrients on cooking of Australian retail lamb cuts of differing carcass classification characteristics
S. KOSULWAT, H. GREENFIELD, K.A. BUCKLE (Australia)

1413 Lipid composition of Australian retail lamb cuts with differing carcass classification characteristics
S. KOSULWAT, H. GREENFIELD, J. JAMES (Australia)

1421 Detection of factors influencing nitrite determination in meat
F. RINCÓN, B. MARTÍNEZ, J.M. DELGADO (Spain)

1429 P_1—a parameter for meat quality
U. PLIQUETT, M. ALTMANN, F. PLIQUETT, L. SCHÖBERLEIN (Germany)

1439 Changes in meat quality characteristics of bovine meat during the first 6 days post mortem
F. RUIZ DE HUIDOBRO, E. MIGUEL, E. ONEGA, B. BLÁZQUEZ (Spain)

I AMSA membership: benefits and application